

Commercial Stainless Steel Food Service Refrigerators

NEW

B series

Premium Stainless Steel Refrigerators
Top tier Energy Efficiency for
your chilled or frozen selections.



2022.11.17



NEW



NEW





SRR-776HB(EW)
SRF-776HB(EW)



SRR-1276HB(EW)
SRF-1276HB(EW)



SRR-1876HB(EW)
SRF-1876HB(EW)

CHILLER

+1°C ~ +8°C

Model	Description
SRR-776HB(EW)	Size: 720(W) x 760+55(D) x 1900(H) Temperature: +1°C ~ +8°C Capacity: 541L
SRR-1276HB(EW)	Size: 1200(W) x 760+55(D) x 1900(H) Temperature: +1°C ~ +8°C Capacity: 972L
SRR-1876HB(EW)	Size: 1800(W) x 760+55(D) x 1900(H) Temperature: +1°C ~ +8°C Capacity: 1498L

FREEZER

-20°C ~ -10°C

Model	Description
SRF-776HB(EW)	Size: 720(W) x 760+55(D) x 1900(H) Temperature: -20°C ~ -10°C Capacity: 541L
SRF-1276HB(EW)	Size: 1200(W) x 760+55(D) x 1900(H) Temperature: -20°C ~ -10°C Capacity: 972L
SRF-1876HB(EW)	Size: 1800(W) x 760+55(D) x 1900(H) Temperature: -20°C ~ -10°C Capacity: 1498L

Undercounter Refrigerator



SUR-1260HB(EW) | SUF-1260HB(EW)
SUR-1275HB(EW) | SUF-1275HB(EW)
SUR-1560HB(EW) | SUF-1565HB(EW)
SUR-1575HB(EW) | SUF-1575HB(EW)



SUR-1860HB(EW) | SUF-1860HB(EW)
SUR-1875HB(EW) | SUF-1875HB(EW)



CHILLER

+1°C ~ +8°C

Model	Description
SUR-1260HB(EW)	Size: 1200(W) x 600(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 206L
SUR-1560HB(EW)	Size: 1500(W) x 600(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 285L
SUR-1860HB(EW)	Size: 1800(W) x 600(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 363L
SUR-1275HB(EW)	Size: 1200(W) x 750(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 248L
SUR-1575HB(EW)	Size: 1500(W) x 750(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 346L
SUR-1875HB(EW)	Size: 1800(W) x 750(D) x 850(H) Temperature: +1°C ~ +8°C Capacity: 439L

FREEZER

-20°C ~ -10°C

Model	Description
SUF-1260HB(EW)	Size: 1200(W) x 600(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 206L
SUF-1560HB(EW)	Size: 1500(W) x 600(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 285L
SUF-1860HB(EW)	Size: 1800(W) x 600(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 363L
SUF-1275HB(EW)	Size: 1200(W) x 750(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 248L
SUF-1575HB(EW)	Size: 1500(W) x 750(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 346L
SUF-1875HB(EW)	Size: 1800(W) x 750(D) x 850(H) Temperature: -20°C ~ -10°C Capacity: 439L

NEW

B series

FEATURES



ENERGY SAVING

- Smart controller can be adjusted by pressing button



SMART CONTROLLER

- R290 Compressor, Environmental full-body foaming, increased density, and improved insulating performance.



SYMMETRICAL DOOR DESIGN

- Doors are symmetrical, which can be adjusted according to different conditions.



BETTER SEAL

- The door sealing strip is comprised of a new resin material with specific technology that can effectively increase the heat insulation and air tightness of the door while also maintaining a consistent cooling environment.



EASY REPAIR

- Canopy can be easily opened and condenser filter can be easily removed. Unit of Upright can be separated from cabinet itself.



OTHER ADVANTAGES

- Standard leg, Side panel foaming to the top, R8 corner inside easy to clean, Air-cooled auto defrosting.