

# Commercial Stainless Steel Food Service Refrigerators

NEW

## B series

Premium Stainless Steel Refrigerators  
Top tier Energy Efficiency for  
your chilled or frozen selections.



2022.11.17



NEW



NEW





SRR-776HB(EW)  
SRF-776HB(EW)



SRR-1276HB(EW)  
SRF-1276HB(EW)



SRR-1876HB(EW)  
SRF-1876HB(EW)

## CHILLER

**+1°C ~ +8°C**

| Model          | Description                                                                        |
|----------------|------------------------------------------------------------------------------------|
| SRR-776HB(EW)  | Size: 720(W) x 760+55(D) x 1900(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 541L   |
| SRR-1276HB(EW) | Size: 1200(W) x 760+55(D) x 1900(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 972L  |
| SRR-1876HB(EW) | Size: 1800(W) x 760+55(D) x 1900(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 1498L |

## FREEZER

**-20°C ~ -10°C**

| Model          | Description                                                                          |
|----------------|--------------------------------------------------------------------------------------|
| SRF-776HB(EW)  | Size: 720(W) x 760+55(D) x 1900(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 541L   |
| SRF-1276HB(EW) | Size: 1200(W) x 760+55(D) x 1900(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 972L  |
| SRF-1876HB(EW) | Size: 1800(W) x 760+55(D) x 1900(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 1498L |



Reliable  
Refrigeration  
Solutions


Panasonic  
BUSINESS

Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



SRR-776HB(EW)



PRODUCT SPECIFICATIONS

| Model         | Temperature | Dimensions (mm)              | Volume (L) | Refrigerant | Power                                                                                     |
|---------------|-------------|------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRR-776HB(EW) | +1°C ~ +8°C | 720(W) x 760+55(D) x 1900(H) | 541L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |







Reliable  
Refrigeration  
Solutions


Panasonic  
BUSINESS

Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



SRF-776HB(EW)



PRODUCT SPECIFICATIONS

| Model         | Temperature     | Dimensions (mm)              | Volume (L) | Refrigerant | Power                                                                                     |
|---------------|-----------------|------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRF-776HB(EW) | - 20°C ~ - 10°C | 720(W) x 760+55(D) x 1900(H) | 541L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |





**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



**SRR-1276HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature | Dimensions (mm)               | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-------------|-------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRR-1276HB(EW) | +1°C ~ +8°C | 1200(W) x 760+55(D) x 1900(H) | 972L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |




**Reliable  
Refrigeration  
Solutions**

## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



# SRF-1276HB(EW)



## PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)               | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|-------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRF-1276HB(EW) | - 20°C ~ - 10°C | 1200(W) x 760+55(D) x 1900(H) | 972L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



**SRR-1876HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature | Dimensions (mm)               | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-------------|-------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRR-1876HB(EW) | +1°C ~ +8°C | 1800(W) x 760+55(D) x 1900(H) | 1498L      | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**



**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



**SRF-1876HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)               | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|-------------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SRF-1876HB(EW) | - 20°C ~ - 10°C | 1800(W) x 760+55(D) x 1900(H) | 1498L      | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**



## Undercounter Refrigerator



SUR-1260HB(EW) | SUF-1260HB(EW)  
SUR-1275HB(EW) | SUF-1275HB(EW)  
SUR-1560HB(EW) | SUF-1565HB(EW)  
SUR-1575HB(EW) | SUF-1575HB(EW)



SUR-1860HB(EW) | SUF-1860HB(EW)  
SUR-1875HB(EW) | SUF-1875HB(EW)



## CHILLER

**+1°C ~ +8°C**

| Model          | Description                                                                   |
|----------------|-------------------------------------------------------------------------------|
| SUR-1260HB(EW) | Size: 1200(W) x 600(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 206L |
| SUR-1560HB(EW) | Size: 1500(W) x 600(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 285L |
| SUR-1860HB(EW) | Size: 1800(W) x 600(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 363L |
| SUR-1275HB(EW) | Size: 1200(W) x 750(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 248L |
| SUR-1575HB(EW) | Size: 1500(W) x 750(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 346L |
| SUR-1875HB(EW) | Size: 1800(W) x 750(D) x 850(H)<br>Temperature: +1°C ~ +8°C<br>Capacity: 439L |

## FREEZER

**-20°C ~ -10°C**

| Model          | Description                                                                     |
|----------------|---------------------------------------------------------------------------------|
| SUF-1260HB(EW) | Size: 1200(W) x 600(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 206L |
| SUF-1560HB(EW) | Size: 1500(W) x 600(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 285L |
| SUF-1860HB(EW) | Size: 1800(W) x 600(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 363L |
| SUF-1275HB(EW) | Size: 1200(W) x 750(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 248L |
| SUF-1575HB(EW) | Size: 1500(W) x 750(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 346L |
| SUF-1875HB(EW) | Size: 1800(W) x 750(D) x 850(H)<br>Temperature: -20°C ~ -10°C<br>Capacity: 439L |






Reliable  
Refrigeration  
Solutions

Panasonic  
BUSINESS

Undercounter Stainless Steel Chiller



SUR-1260HB(EW)



PRODUCT SPECIFICATIONS

| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1260HB(EW) | + 1°C ~ + 8°C | 1200(W) x 600(D) x 850(H) | 206L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |






- Stable Temperature Range
- Self Evaporating Kit



SUF-1260HB(EW)



PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1260HB(EW) | - 20°C ~ - 10°C | 1200(W) x 600(D) x 850(H) | 206L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



**SUR-1275HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1275HB(EW) | +1°C ~ +8°C | 1200(W) x 750(D) x 800(H) | 248L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**




Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



SUF-1275HB(EW)



PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1275HB(EW) | - 20°C ~ - 10°C | 1200(W) x 750(D) x 800(H) | 248L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |




## Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



**SUR-1560HB(EW)**



## PRODUCT SPECIFICATIONS


| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1560HB(EW) | + 1°C ~ + 8°C | 1500(W) x 600(D) x 850(H) | 285L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |

## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



## SUF-1560HB(EW)



## PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1560HB(EW) | - 20°C ~ - 10°C | 1500(W) x 600(D) x 850(H) | 285L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



Reliable  
Refrigeration  
Solutions


Panasonic  
BUSINESS

Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



SUR-1575HB(EW)



PRODUCT SPECIFICATIONS

| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1575HB(EW) | + 1°C ~ + 8°C | 1500(W) x 750(D) x 850(H) | 346L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |





**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



**SUF-1575HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1575HB(EW) | - 20°C ~ - 10°C | 1500(W) x 750(D) x 850(H) | 346L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**



Reliable  
Refrigeration  
Solutions


Panasonic  
BUSINESS

Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



SUR-1860HB(EW)



PRODUCT SPECIFICATIONS

| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1860HB(EW) | + 1°C ~ + 8°C | 1800(W) x 600(D) x 850(H) | 363L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |







**Reliable  
Refrigeration  
Solutions**


**Panasonic**  
BUSINESS

## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



**SUF-1860HB(EW)**



## PRODUCT SPECIFICATIONS

| Model          | Temperature     | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|-----------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1860HB(EW) | - 20°C ~ - 10°C | 1800(W) x 600(D) x 850(H) | 363L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |



**Reliable  
Refrigeration  
Solutions**



Reliable  
Refrigeration  
Solutions


Panasonic  
BUSINESS

Upright Stainless Steel Chiller

- Stable Temperature Range
- Self Evaporating Kit



**SUR-1875HB(EW)**



PRODUCT SPECIFICATIONS

| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUR-1875HB(EW) | + 1°C ~ + 8°C | 1800(W) x 750(D) x 850(H) | 439L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |




## Upright Stainless Steel Freezer

- Stable Temperature Range
- Self Evaporating Kit



## SUF-1875HB(EW)



## PRODUCT SPECIFICATIONS

| Model          | Temperature   | Dimensions (mm)           | Volume (L) | Refrigerant | Power                                                                                     |
|----------------|---------------|---------------------------|------------|-------------|-------------------------------------------------------------------------------------------|
| SUF-1875HB(EW) | + 1°C ~ + 8°C | 1800(W) x 750(D) x 850(H) | 439L       | R290        | 220V ~240V / 1 Phase / 50/60Hz<br>Defrosting: 357W<br>Cooling: 350W<br>1.8A / UK 13A Plug |

NEW

# B series

## FEATURES



ENERGY  
SAVING

- Smart controller can be adjusted by pressing button



SMART  
CONTROLLER

- R290 Compressor, Environmental full-body foaming, increased density, and improved insulating performance.



SYMMETRICAL  
DOOR DESIGN

- Doors are symmetrical, which can be adjusted according to different conditions.



BETTER SEAL

- The door sealing strip is comprised of a new resin material with specific technology that can effectively increase the heat insulation and air tightness of the door while also maintaining a consistent cooling environment.



EASY REPAIR

- Canopy can be easily opened and condenser filter can be easily removed. Unit of Upright can be separated from cabinet itself.



OTHER  
ADVANTAGES

- Standard leg, Side panel foaming to the top, R8 corner inside easy to clean, Air-cooled auto defrosting.