

Commercial Stainless Steel Food Service Refrigerators

NEW

ES series

Premium Stainless Steel Refrigerators
with Energy Saving features and
excellent cooling performance



2022.12.01





SRR-681ES
SRF-681ES
SRR-781ES
SRF-781ES



SRR-1281ES
SRF-1281ES
SRR-1581ES
SRF-1581ES



SRR-1881ES
SRF-1881ES

CHILLER

-6°C ~ +12°C

Model	Description
SRR-681ES	Size: 620(W) x 800(D) x 2000(H) Temperature: - 6°C ~ + 12°C Capacity: 483L
SRR-781ES	Size: 745(W) x 800(D) x 2000(H) Temperature: - 6°C ~ + 12°C Capacity: 610L
SRR-1281ES	Size: 1210(W) x 800(D) x 2000(H) Temperature: - 6°C ~ + 12°C Capacity: 1080L
SRR-1581ES	Size: 1460(W) x 800(D) x 2000(H) Temperature: - 6°C ~ + 12°C Capacity: 1329L
SRR-1881ES	Size: 1800(W) x 800(D) x 2000(H) Temperature: - 6°C ~ + 12°C Capacity: 1667L

FREEZER

- 25°C ~ - 15°C

Model	Description
SRF-681ES	Size: 620(W) x 800(D) x 2000(H) Temperature: - 25°C ~ - 15°C Capacity: 471L
SRF-781ES	Size: 745(W) x 800(D) x 2000(H) Temperature: - 25°C ~ - 15°C Capacity: 598L
SRF-1281ES	Size: 1210(W) x 800(D) x 2000(H) Temperature: - 25°C ~ - 15°C Capacity: 1063L
SRF-1581ES	Size: 1460(W) x 800(D) x 2000(H) Temperature: - 25°C ~ - 15°C Capacity: 1312L
SRF-1881ES	Size: 1800(W) x 800(D) x 2000(H) Temperature: - 25°C ~ - 15°C Capacity: 1650L



Inverter Control



Self evaporation system



Center pillarless



Heater defrost



Bottom shelf is standard

Options



Caster wheel



Line up right door model and left door model.

*Only 2 doors model is available. Door can be reversible at factory only.

Undercounter Refrigerator



SUR-1261ES | SUF-1261ES
SUR-1271ES | SUF-1271ES
SUR-1561ES | SUF-1561ES
SUR-1571ES | SUF-1571ES



SUR-1861ES | SUF-1861ES
SUR-1871ES | SUF-1871ES

CHILLER - 6°C ~ + 12°C

Model	Description
SUR-1261ES	Size: 1200(W) x 600(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 214L
SUR-1271ES	Size: 1200(W) x 750(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 280L
SUR-1561ES	Size: 1500(W) x 600(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 296L
SUR-1571ES	Size: 1500(W) x 750(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 393L
SUR-1861ES	Size: 1800(W) x 600(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 377L
SUR-1871ES	Size: 1800(W) x 750(D) x 800(H) Temperature: - 6°C ~ + 12°C Capacity: 495L

- Comes with Adaptor for Leg Extension: 850mm (H)

FREEZER - 25°C ~ - 15°C

Model	Description
SUF-1261ES	Size: 1200(W) x 600(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 214L
SUF-1271ES	Size: 1200(W) x 750(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 280L
SUF-1561ES	Size: 1500(W) x 600(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 296L
SUF-1571ES	Size: 1500(W) x 750(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 393L
SUF-1861ES	Size: 1800(W) x 600(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 377L
SUF-1871ES	Size: 1800(W) x 750(D) x 800(H) Temperature: - 25°C ~ - 15°C Capacity: 495L



Inverter
Control



Self
evaporation
system



Center pillarless



Heater defrost



Bottom shelf is
standard





LED
lighting



Caster wheel
(option)

REDUCE
ELECTRICAL COST!

INVERTER
Energy Saving
Performance





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Upright Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRR-681ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRR-681ES	-6°C ~ +12°C	Ext: 620(W) x 800(D) x 2000(H) Int: 484(W) x 682(D) x 1514(H)	483L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 327W Cooling: 320W 1.6A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Upright Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRR-781ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRR-781ES	-6°C ~ +12°C	Ext: 745(W) x 800(D) x 2000(H) Int: 609(W) x 682(D) x 1514(H)	610L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 327W Cooling: 325W 1.66A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**




Panasonic
BUSINESS

Upright Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit



SRR-1281ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRR-1281ES	-6°C ~ +12°C	Ext: 1210(W) x 800(D) x 2000(H) Int: 1074(W) x 682(D) x 1514(H)	1080L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 670W Cooling: 440W 2.25A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**




Panasonic
BUSINESS

Upright Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit



SRR-1581ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRR-1581ES	-6°C ~ +12°C	Ext: 1460(W) x 800(D) x 2000(H) Int: 1324(W) x 682(D) x 1514(H)	1329L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 670W Cooling: 450W 2.3A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS





Upright Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRR-1881ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRR-1881ES	-6°C ~ +12°C	Ext: 1800(W) x 800(D) x 2000(H) Int: 1664(W) x 682(D) x 1514(H)	1667L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 670W Cooling: 490W 2.5A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Upright Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRF-681ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRF-681ES	-25°C ~ -15°C	Ext: 620(W) x 800(D) x 2000(H) Int: 484(W) x 682(D) x 1514(H)	471L	R404A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 437W Cooling: 655W 3.35A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Upright Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRF-781ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRF-781ES	-25°C ~ -15°C	Ext: 745(W) x 800(D) x 2000(H) Int: 609(W) x 682(D) x 1514(H)	598L	R404A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 442W Cooling: 660W 3.37A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**



Panasonic
BUSINESS

Upright Stainless Steel Freezer

- Energy Saving Efficiency
- Stable Temperature Range
- Self Evaporating Kit



SRF-1281ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRF-1281ES	-25°C ~ -15°C	Ext: 1210(W) x 800(D) x 2000(H) Int: 1074(W) x 682(D) x 1514(H)	1063L	R404A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 830W Cooling: 990W 5.06A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**




Panasonic
BUSINESS

Upright Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit



SRF-1581ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRF-1581ES	-25°C ~ -15°C	Ext: 1460(W) x 800(D) x 2000(H) Int: 1324(W) x 682(D) x 1514(H)	1312L	R404A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 840W Cooling: 1000W 5.1A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Upright Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SRF-1881ES



PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SRF-1881ES	-25°C ~ -15°C	Ext: 1800(W) x 800(D) x 2000(H) Int: 1664(W) x 682(D) x 1514(H)	1650L	R404A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 880W Cooling: 1040W 5.31A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1261ES



- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1261ES	-6°C ~ +12°C	Ext: 1200(W) x 600(D) x 850(H) Int: 794(W) x 437(D) x 573(H)	214L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 280W Cooling: 240W 1.22A / UK 13A Plug

- Internal Light



- Pillarless





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1271ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1271ES	-6°C ~ +12°C	Ext: 1200(W) x 750(D) x 850(H) Int: 794(W) x 587(D) x 573(H)	280L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 280W Cooling: 240W 1.22A / UK 13A Plug

- Internal Light



- Pillarless



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1561ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1561ES	-6°C ~ +12°C	Ext: 1500(W) x 600(D) x 850(H) Int: 1094(W) x 437(D) x 573(H)	296L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 285W Cooling: 245W 1.25A / UK 13A Plug

- Internal Light



- Pillarless





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS



Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1571ES



- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1571ES	-6°C ~ +12°C	Ext: 1500(W) x 750(D) x 850(H) Int: 1094(W) x 587(D) x 573(H)	393L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 285W Cooling: 245W 1.25A / UK 13A Plug

- Internal Light



- Pillarless





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1861ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1861ES	-6°C ~ +12°C	Ext: 1800(W) x 600(D) x 850(H) Int: 1394(W) x 437(D) x 573(H)	377L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 290W Cooling: 250W 1.27A / UK 13A Plug

- Internal Light



- Pillarless





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Chiller

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUR-1871ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUR-1871ES	-6°C ~ +12°C	Ext: 1800(W) x 750(D) x 850(H) Int: 1394(W) x 587(D) x 573(H)	495L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 290W Cooling: 250W 1.27A / UK 13A Plug

- Internal Light



- Pillarless





**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUF-1261ES



- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-1261ES	-25°C ~ -15°C	Ext: 1200(W) x 600(D) x 850(H) Int: 794(W) x 437(D) x 573(H)	214L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 350W Cooling: 300W 1.53A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUF-1271ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-1271ES	-25°C ~ -15°C	Ext: 1200(W) x 750(D) x 850(H) Int: 794(W) x 587(D) x 573(H)	280L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 350W Cooling: 300W 1.54A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUF-1561ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-1561ES	-25°C ~ -15°C	Ext: 1500(W) x 600(D) x 850(H) Int: 1094(W) x 437(D) x 573(H)	296L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 355W Cooling: 305W 1.56A / UK 13A Plug






**Reliable
Refrigeration
Solutions**

Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit



SUF-1571ES



- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-157IES	-25°C ~ -15°C	Ext: 1500(W) x 750(D) x 850(H) Int: 1094(W) x 587(D) x 573(H)	393L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 355W Cooling: 305W 1.56A / UK 13A Plug



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUF-1861ES



Power =

- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-1861ES	-25°C ~ -15°C	Ext: 1800(W) x 600(D) x 850(H) Int: 1394(W) x 437(D) x 573(H)	377L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 365W Cooling: 320W 1.63A / UK 13A Plug



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

Panasonic
BUSINESS




Undercounter Stainless Steel Freezer

- Energy Saving
- Stable Temperature Range
- Self Evaporating Kit

INVERTER



SUF-1871ES



- Comes with Adaptor for Leg Extension: 850mm (H)

PRODUCT SPECIFICATIONS

Model	Temperature	Dimensions (mm)	Volume (L)	Refrigerant	Power
SUF-1871ES	-25°C ~ -15°C	Ext: 1800(W) x 750(D) x 850(H) Int: 1394(W) x 587(D) x 573(H)	495L	R134A	220V ~240V / 1 Phase / 50/60Hz Defrosting: 365W Cooling: 320W 1.63A / UK 13A Plug



**Reliable
Refrigeration
Solutions**