



**Reliable
Refrigeration
Solutions**

SUZUMO
WE LOVE RICE
Sushi Cooked Rice Mixer

WHAT YOU CAN MAKE



Vinegared rice



Compact size suitable even for smaller locations

New high grade resin drum attains no recorting and a weight reduction (light weight) while maintaining the blending of rice and vinegar at high level.

- Reproduce authentic and delicious sushi rice



MCR-SSC-CE



PRODUCT SPECIFICATIONS

Model	Dimensions (mm)	Capacity	Weight	Power
MCR-SSC-CE	496(W) x 604(D) x 872(H)	Maximum 6.5kg of cooked rice	38KG	1 Phase / 220-240V / 50-60Hz / 95W / 1A / UK 13A Plug

Features

- The compact design saves installation space, ideal for a small kitchen.
- Touch-panel screens enable easy operation.
- Three different pre-set blending programs are selectable, depending on the type and amount of rice.
- The “shari” or processed rice is easily discharged from the drum by a simple touch operation.





**Reliable
Refrigeration
Solutions**

SUZUMO
WE LOVE RICE
Sushi Cooked Rice Mixer

WHAT YOU CAN MAKE



Vinegared rice


Sushi rice mixing made easy!

The most delicate part of sushi rice preparation is blending the cooked rice with vinegar. This blender is made fully automated, making it simple while giving a perfect result.

- Reproduce authentic and delicious sushi rice



MCR-ASB-AS



PRODUCT SPECIFICATIONS

Model	Preparation Time	Dimensions (mm)	Capacity	Weight	Power
MCR-ASB-AS	Approx. 5 - 7 minutes to mix and dispense automatically.	Machine Size: 600(W) x 690(D) x 1050(H)	Small roll: 400 rolls / hr Medium roll: 300 rolls / hr Large roll: 280 rolls / hr Maximum 13kg of cooked rice	80KG	1 Phase / 220-240V / 50-60Hz 400W / 1A / UK 13A Plug

Features

- Light weight drum
- High-grade non-stick parts
- Easy handling
- Easy cleaning
- 6 pre-programmed settings
- Auto dispensing feature



3M-136162

White Cover Lid
*Accessories



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

SUZUMO
Compact Sushi Machine

WHAT YOU CAN MAKE



Nigiri sushi


- 4800 pieces per hour (Less than 20g Setting)
 - Ultimate and Fluffy Rice Ball
 - Soft to Hard (7 Steps Adjustment)

**Highest
Productivity**

Fastest in the industry!! Can produce 4,800 delicious and fluffy rice balls (20 g or less in size) per hour.



SSN-JLX



PRODUCT SPECIFICATIONS

Model	Weight per piece	Dimensions (mm)	Capacity	Weight	Power
SSN-JLX	12g ~ 22g	Small Hopper: 350(W) x 477(D) x 584(H) Large Hopper: 362(W) x 479(D) x 670(H)	3000 / 3600 / 4200 / 4800 pieces per hour <small>*In case of weight 21~25g setting, the maximum capacity may be lower.</small>	25KG	1 Phase / 220-240V / 50-60Hz 180W / 1A / UK 13A Plug

Features

- Creating soft sushi without crashing and cutting the rice grains by original shutter blade.
- Softness and weight of Shari (Rice) ball can be adjustable on operation panel.
- Shari (Rice) ball with the most suitable temperature can be made by the heater.
- Language for operation panel can be selected from major language
 - (English, French, German, Spanish, Chinese, Korean, and Japanese) by user selection on operation panel.
- A rice hopper can be chosen from 2 kinds of size (small: approx. 6Kg, large: approx. 10Kg).





**Reliable
Refrigeration
Solutions**

SUZUMO
Compact Sushi Machine

- 2000 pieces per hour (Less than 20g Setting)
 - Ultimate and Fluffy Rice Ball
 - Soft to Hard (7 Steps Adjustment)

WHAT YOU CAN MAKE




Nigiri sushi

Entry Model for Nigiri Sushi making machine with keeping the high quality and productivity.



SSF-CXA



PRODUCT SPECIFICATIONS

Model	Weight per piece	Dimensions (mm)	Capacity	Weight	Power
SSF-CXA	12g ~ 20g	Machine Size: 320(W) x 520(D) x 630(H)	2000 pieces per hour Hopper Capacity: 10 L (approx. 6Kg) of cooked rice	35KG	1 Phase / 220-240V / 50-60Hz 150W / 1A / UK 13A Plug

Features

- Simple design and minimum parts number for easy operation and maintenance.
- Traditional and perfect nigiri sushi shape by 2-steps rice gripping and forming mechanism.
- The weight and hardness of nigiri sushi can be adjustable.





**Reliable
Refrigeration
Solutions**



Sushi Roll Machine

- Optimal for making Uramaki (inside-out rolls)

WHAT YOU CAN MAKE



Uramaki (inside-out rolls)






Sushi roll



New model with an improved design that forms the rice and resulting rolls better than ever. Anyone can use it to make Roll Sushi like an experienced chef.



SVR-BXA-ET



PRODUCT SPECIFICATIONS


Model	Rolled Size	Dimensions (mm)	Capacity	Weight	Power
SVR-BXA-ET	22mm - 70mm diameter	Machine Size: 408(W) x 580(D) x 641(H)	Approx. 250 - 350 rolls/hr Hopper Capacity: MAX 8.5kg of cooked rice	41KG	1 Phase / 220-240V / 50-60Hz 160W / 1A / UK 13A Plug

Features

- Six kinds of Rolls can be stored in its memory
 - (ranging from 22 mm dia. to 70 mm dia.).
- Length and thickness of rice sheet adjustable, as is the density of the rice itself.
- Can also supply rice sheet continuously without rolling.
- Includes a re-roll up function to make Rolls tighter as needed.
- Convenient LCD touchscreen supports 7 languages:
 - Chinese, English, French, German, Japanese, Korean, and, Spanish.
- Easy operation & cleaning.



1.The machine spreads sushi rice onto the forming sheet



2.Place Nori (dried seaweed) by hand on the rice



3.Add ingredients by hand



4.The machine starts to roll the sushi



5.The sushi is automatically rolled up



6.Beautiful rolls are the end result





**Reliable
Refrigeration
Solutions**



Sushi Roll Machine

- Optimal for making Traditional Nori (Seaweed) Outside Rolls

WHAT YOU CAN MAKE



Sushi roll






Uramaki (inside-out roll)

Employs a new rice forming process to guarantee fluffy grains for the rice sheet used for Roll Sushi.
Best suitable model for traditional Nori (seaweed) Outside Rolls !



SVR-NXA-ET




PRODUCT SPECIFICATIONS

Model	Rolled Size	Dimensions (mm)	Capacity	Weight	Power
SVR-NXA-ET	Small roll: 25 mm Medium roll: 35 mm Large roll: 46 mm	Machine Size: 394(W) x 545(D) x 641(H)	Small roll: 400 rolls / hr Medium roll: 300 rolls / hr Large roll: 280 rolls / hr Max. 8.5 kg of cooked rice	37.5KG	1 Phase / 220-240V / 50-60Hz 160W / 1A / UK 13A Plug

Features

- Can memorize 3 kinds of Rolls.
- Rice sheet length and thickness adjustable, as is the density of the rice.
- Can also supply rice sheet continuously without rolling.
- Includes a re-roll-up function so Rolls can be made tighter as needed.
- Convenient LCD touchscreen supports 7 languages:
 - Chinese, English, French, German, Japanese, Korean and Spanish.
- Easy operation & cleaning.



1.Put Nori (dried seaweed) on the Forming Plate




2.The machine spreads a sheet of sushi rice on the Nori



3.Add ingredients by hand



4.The forming plate rolls the



5.Beautiful rolls are the result.





**Reliable
Refrigeration
Solutions**

SUZUMO
WE LOVE RICE
Rice Sheet Making Machine

- 6 Different Sizes can be memorised

WHAT YOU CAN MAKE



Small Roll Sheet



Medium Roll Sheet






Large Roll Sheet

It makes beautiful Rice Sheet for Roll Sushi Fast and Consistently!



SVR-NYA-ET



Unit: mm

PRODUCT SPECIFICATIONS

Model	Rolled Size	Dimensions (mm)	Capacity	Weight	Power
SVR-NYA-ET	Small roll: 950 sheets / hr (80-mm sheet) Medium roll: 850 sheets / hr (120-mm sheet) Large roll: 750 sheets / hr (180-mm sheet)	Machine Size: 394(W) x 545(D) x 641(H)	Max 8.5KG of cooked rice	33.5KG	1 Phase / 220-240V / 50-60Hz 80W / 1A / UK 13A Plug

Features

- Lays down a sushi rice sheet in a matter of seconds, helping to save you time.
- Rice sheet laid out without damaging the grains, keeping the quality consistent no matter who is operating it.
- Length, thickness, and density of rice sheet adjustable.
- Can memorize six different sheet sizes.
- Designed for simple and easy cleaning.





**Reliable
Refrigeration
Solutions**

SUZUMO
Automatic Sushi Roll Cutter

- 550, 1100, 2200 rolls/hr

WHAT YOU CAN MAKE



Sushi roll




Uramaki (inside-out rolls)






Simple Operation and Professional Cutting Quality.
More Capacity & More Safety with Automated Sushi Roll Cutter.



SVC-ATC-ET



(SVC-ATC-ET)



PRODUCT SPECIFICATIONS

Model	Dimensions (mm)	Capacity	Weight	Power
SVC-ATC-ET	380(W) x 320(D) x 476(H)	Small roll (25 mm): Approx. 2,200 rolls / hr Medium roll (35 mm): Approx. 1,100 rolls / hr Large roll (46-60 mm): Approx. 550 rolls / hr	17KG	1 Phase / 220-240V / 50-60Hz 140W / 1A / UK 13A Plug

Features

- Designed for safe operation and easy cleaning.
- Cutting unit can be designed on a custom order basis.
 - Standard cutting unit can prepare 6 or 8 pieces (180-mm dia. pieces)
- Wide cutting table allows three small rolls to be sliced at the same time.
- Compact and lightweight design is highly portable.
- Can cut both Sushi roll and Uramaki (inside-out roll).




4 hosomaki (small roll) can be set on cutting table : 2,200 rolls / hr



2 medium size rolls : 1,100 rolls / hr



1 large size rice outside roll : 550 rolls / hr



2022.12.22

*We reserve the right to make changes in specifications and design without prior notice.

Find out more:

+65 8829 3509

enquiry@tyinnovations.com



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**



SUZUMO

Fuwarica Rice-Serving Machine

WHAT YOU CAN MAKE



Gyūdon (grilled beef on rice)



Karē raisu (rice with Japanese-style curry)



Bentō (box lunch)




Onigiri (seaweed-wrapped rice ball)

Make work more efficient and improve quality

This machine keeps rice warm and fluffy, and can serve it quickly in precise, pre-measured quantities.

- Rice Serving Speed:
 - 5 Seconds / dish
 - Approximately 720 dishes / hr.



PRODUCT SPECIFICATIONS

Model	Serving Range	Dimensions (mm)	Capacity	Weight	Power
GST-FBB-AS	50 g - 510 g 7 preset amounts (7 corresponding buttons)	Machine Size: 394(W) x 526(D) x 609.5(H)	5 seconds/dish (250 g) - Max. 720 dishes / hr Approx. 10 kg of cooked rice	32KG	1 Phase / 220-240V / 50-60Hz 400W / 1A / UK 13A Plug

Features

- LCD touchscreen operation panel can display 7 languages
 - (Chinese, English, French, German, Japanese, Korean, and Spanish)
- To keep time needed to serve rice to a minimum, automatically puts a pre-measured amount of rice on stand-by in the dispenser.
- Improved new measuring system with increased accuracy in measuring rice weights and durability of measuring components.
- Patented technology: Mixes rice with two beaters to prevent clumping and make it easy to serve while retaining peak flavor and a powdery appearance.
- Rice warming hopper keeps the rice at around 70°C for 4 hours so the rice it serves remains hot.
- Displays remaining volume of rice in hopper, making it easy to plan rice cooking times.
- Compact design and easy to maintain just like an appliance for the home. Easy to disassemble and clean.
- Easy to prepare still-warm onigiri using the optional molding container (FBB-TOA).





**Reliable
Refrigeration
Solutions**



SUZUMO

Automated Sushi Wrapping Machine

- 1200, 1600, 2000pcs/h
(Adjustable)

WHAT YOU CAN MAKE



Wrapped sushi




Unwrapped

Multiples range of sushi and rice products can be wrapped depending on your food menu and ideas. This machine wraps each piece of sushi beautifully with film. Wrapped sushi looks high quality and very clean. It actually keeps freshness by individual piece base which will excite customer's interest.



PGS-SNB-JT



PRODUCT SPECIFICATIONS

Model	Wrapping Size (mm)	Dimensions (mm)	Capacity	Weight	Power
PGS-SNB-JT	68(L) x 35(W) x 30(H)	With Printer: 605(W) x 655(D) x 1290-1360(H) Without Printer: 595(W) x 655(D) x 1155-1225(H)	1200, 1600, 2000pcs/h (Adjustable)	86KG	1 Phase / 220-240V / 50-60Hz 450W / 1A / UK 13A Plug

Features

- Film Types:
 - Easy Open Film (W135mm / Thickness 30μ)
 - Anti-fog film (W135mm / Thickness 30μ)
- Optional Items:
 - Film printing machine, Stand (380x310mm)
- Compact design as width is only 60cm.
 - Easy to move by the caster and secure by the stopper.
- Touch panel motor enables easier operation.
- Preventing the ingredient's discoloration and keeping the freshness longer.



1.Initial stirring to separate grains of rice and forming of rice balls



2.2nd forming of rice balls (wasabi optional)



3.Adding toppings by hand



4.Wrapped sushi comes out automatically.





**Reliable
Refrigeration
Solutions**


WE LOVE RICE **SUZUMO**
Manual Onigiri Maker

Simple Operation and Professional Onigiri Maker




THS-DRA


■外形図



標準型寸法(95g時)



※上記は型寸法であり、形状は参考イメージです。
飯量目やプレス圧により、厚みは異なります。



PRODUCT SPECIFICATIONS

Model	Dimensions (mm)	End Product	Weight
THS-DRA	228(W) x 333(D) x 307(H)	Onigiri × 2 pieces (1 Piece ~73mm)	6.5KG

Features

- Fast and simple manual onigiri maker
- Space saving and compact



1. Put rice in the molding machine



2. Put in the ingredients



3. Put rice from the top



4. A light push



5. Completion of the rice balls





**Reliable
Refrigeration
Solutions**

 **SUZUMO**
Bag Opening Machine

Simple Operation and Professional Cutting Quality.

Easy to individually wrap rice balls and bread.

The mouth of the bag is opened with the blowing function, so you can bag it beautifully!



FHB-SHC

PRODUCT SPECIFICATIONS

Model	Dimensions (mm)	Power	Weight
FHB-SHC	152(W) x 300(D) x 72(H)	1 Phase / 220V / 50Hz / 25W / UK 13A Plug	1.8KG

Features

- Fast and simple to slot in onigiri / bread products inside wrap
- Compact machine to place on table to use
- 100 pieces of bags able to be placed for utilising



Onigiri Film Wrap

SKU: 0002208010

2022.12.22

*We reserve the right to make changes in specifications and design without prior notice.

Find out more:

 +65 8829 3509

enquiry@tyinnovations.com



**Reliable
Refrigeration
Solutions**



**Reliable
Refrigeration
Solutions**

SUZUMO
WE LOVE RICE
Accessories & Supplies

PRODUCTION



Rice Cooking Net

Wrap rice in the cooking net before placing it in the pot to be steamed. This will prevent it from sticking to the pot and make it easier to remove when carrying it to the next process.

Small: 750 x 750mm
Large: 1,000 x 1,000mm



Rice pack (Rice-preservation sheets)

This special paper controls the moisture of the rice after it has been cooked. Used together with Suzumo's rice containers, these sheets help to maintain the flavor and texture of the rice for long periods of time.


* Z40-15D for 10kg container: 410 x 340 x 500 mm
* Z40-20D for 15kg container: 410 x 340 x 550 mm
Available in lots of 250 sheets



Softener Plus

An odorless and nontoxic spray made from sterile vegetable oil, used to prevent cooked rice from sticking to lifting blades and the other machine parts that come into contact with the rice.

* Quantity per can: 300 ml



Anti-fogwrap

A 30-micron, anti-fogging film for wrapping sushi. The film's firm flexibility produces beautifully formed wrappings.

* Widths: 135mm, 150mm
* Length of roll: 1,000m Available in lots of 4 rolls
SKU: 0002124016



Easy-open Sushi wrapping film

By pulling the both side of slit on film, it can be opened easily. Transparency, Red or Green striped patterned.

* Widths: 135mm, 150mm
* Length of roll: 500m Available in lots of 8 rolls
SKU: 0002162018



Ace Carry (Shari containers carrier)

The compact and light weight carrier with the casters which can transfer the heavy Shari container easily. It is applied the material which do not have rust.

* Color: Dark Gray / Blue / Red

PRESERVATION



GRC-15


GRC-15 for 10kg
490W x 380D x 220H (mm)

GRC-20

GRC-20 for 15kg
480W x 370D x 255H (mm)

Wrap rice in the cooking net before placing it in the pot to be steamed. This will prevent it from sticking to the pot and make it easier to remove when carrying it to the next process.

Small: 750 x 750mm
Large: 1,000 x 1,000mm



Shari Trays

Trays for shari containers, which permit shari dama to be stored in rows. Each tray can hold up to 50 - 60 shari dama. The trays promote efficiency, by making it easier to store and handle the shari dama.

* GRT-15 can be put 3 trays into GRC-15 or 4 trays into GRC-20
* GRT-20 / GRT-20S can be put 5 trays into GRC-20

SANITATION



Polyethylene disposable gloves

An essential aid for the maintenance of hygiene. Rice will never stick to gloves during handling. Gloves can be conveniently extracted from packs one at a time.

* Pack: 50 pcs. x 60 packs / box
* Size: Small / Medium



Kubota Rice Washer

RICE WASHER KP90KN-CE



FEATURES

- Stores up to 130KG of rice safely.
- Prevents the negative effects of moisture on rice stocks.
- Simple operation and reliable functions



KP72PN-TL-CE

FEATURES


- Washes up to 6KG of rice in less than 2 minutes.
- Reduce operator workload and lost time
- Controlling costs, such as rice waste and water consumption

MAKES YOUR RICE, EVEN **MORE DELICIOUS.**

Did you know that washing Japanese rice is the first step in achieving a deliciously flavorful result? You may now cook Japanese rice with optimum washing that eliminates contaminants, foreign elements, and bran.

Make rice cooking easier and more efficient. With the Kubota Rice washing machine, this is now a reality.

Sushi Display Showcase




DN401-R (L)




DN501-R (L)




DN601-R (L)



DN421H-R (L)



DN521H-R (L)



DN621H-R (L)



CHILLER

+ 10°C or lower

Model	Description
DN401-R (L)	Size: 1200(W) x 290(D) x 275(H) Temperature: + 10°C or lower Capacity: 31L
DN501-R (L)	Size: 1500(W) x 290(D) x 275(H) Temperature: + 10°C or lower Capacity: 43L
DN601-R (L)	Size: 1800(W) x 290(D) x 275(H) Temperature: + 10°C or lower Capacity: 55L

High Humidity

CHILLER

+ 3°C ~ + 10°C

Model	Description
DN421H-R (L)	Size: 1200(W) x 343(D) x 328(H) Temperature: + 3°C ~ + 10°C Capacity: 36L
DN521H-R (L)	Size: 1500(W) x 343(D) x 328(H) Temperature: + 3°C ~ + 10°C Capacity: 48L
DN621H-R (L)	Size: 1800(W) x 343(D) x 328(H) Temperature: + 3°C ~ + 10°C Capacity: 60L




**Reliable
Refrigeration
Solutions**



daiwa

日本製
MADE IN JAPAN


Sushi Display Showcase



**(Right Compressor)
DN401-R**



**(Left Compressor)
DN401-L**



PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN401-R	+ 10°C or lower	1200(W) x 290(D) x 275(H)	31L	34KG	R134A	1 Phase / 220V / 50Hz 140/155W / 0.76A / 13A UK Plug
DN401-L	+ 10°C or lower	1200(W) x 290(D) x 275(H)	31L	34KG	R134A	1 Phase / 220V / 50Hz 140/155W / 0.76A / 13A UK Plug





**Reliable
Refrigeration
Solutions**


daiwa

日本製
MADE IN JAPAN


Sushi Display Showcase



**(Right Compressor)
DN501-R**



**(Left Compressor)
DN501-L**



PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN501-R	+ 10°C or lower	1500(W) x 290(D) x 275(H)	43L	37KG	R134A	1 Phase / 220V / 50Hz 150/165W / 0.84A / 13A UK Plug
DN501-L	+ 10°C or lower	1500(W)x 290(D) x 275(H)	43L	37KG	R134A	1 Phase / 220V / 50Hz 150/165W / 0.84A / 13A UK Plug






**Reliable
Refrigeration
Solutions**




**日本製
MADE IN JAPAN**


Sushi Display Showcase



**(Right Compressor)
DN601-R**



**(Left Compressor)
DN601-L**



PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN601-R	+ 10°C or lower	1800(W) x 290(D) x 275(H)	55L	42KG	R134A	1 Phase / 220V / 50Hz 160/175W / 0.89A / 13A UK Plug
DN601-L	+ 10°C or lower	1800(W) x 290(D) x 275(H)	55L	42KG	R134A	1 Phase / 220V / 50Hz 160/175W / 0.89A / 13A UK Plug





**Reliable
Refrigeration
Solutions**





**日本製
MADE IN JAPAN**

Sushi Display Showcase


- Constant Temperature
- High Humidity



**(Right Compressor)
DN421H-R**



**(Left Compressor)
DN421H-L**



*Comes with LED

PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN421H-R	+ 3°C ~ + 10°C	1200(W) x 343(D) x 328(H)	36L	50KG	R134A	1 Phase / 220V / 50Hz 204/217W / 1.1A / 13A UK Plug
DN421H-L	+ 3°C ~ + 10°C	1200(W) x 343(D) x 328(H)	36L	50KG	R134A	1 Phase / 220V / 50Hz 204/217W / 1.1A / 13A UK Plug





**Reliable
Refrigeration
Solutions**



Sushi Display Showcase

<Constant temperature high humidity>





**(Right Compressor)
DN521H-R**



**(Left Compressor)
DN521H-L**



*Comes with LED



PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN521H-R	+ 3°C ~ + 10°C	1500(W) x 343(D) x 328(H)	48L	62KG	R134A	1 Phase / 220V / 50Hz 229/229W / 1.17A / 13A UK Plug
DN521H-L	+ 3°C ~ + 10°C	1500(W) x 343(D) x 328(H)	48L	62KG	R134A	1 Phase / 220V / 50Hz 229/229W / 1.17A / 13A UK Plug





**Reliable
Refrigeration
Solutions**





Sushi Display Showcase


<Constant temperature high humidity>



**(Right Compressor)
DN621H-R**



**(Left Compressor)
DN621H-L**



*Comes with LED

PRODUCT SPECIFICATIONS

Model	Temperature	Dimension	Volume	Weight	Refrigerant	Power
DN621H-R	+ 3°C ~ + 10°C	1800(W) x 343(D) x 328(H)	60L	69KG	R134A	1 Phase / 220V / 50Hz 221/236W / 1.20A / 13A UK Plug
DN521H-L	+ 3°C ~ + 10°C	1800(W) x 343(D) x 328(H)	48L	62KG	R134A	1 Phase / 220V / 50Hz 221/236W / 1.20A / 13A UK Plug

